TMD Exam Form Part II

Patient Summary

History of Present Illness (HPI): (onset, change over time, precipitated by trauma/life changes?)

Description of Pain Complaint(s):

| Pain Complaint | Primary | Secondary | Tertiary |
|---|---------|-----------|----------|
| Location | | | |
| | | | |
| | | | |
| Character | | | |
| (quality) | | | |
| (quanty) | | | |
| | | | |
| Intensity (0-10) | | | |
| (today, avg, worst) | | | |
| | | | |
| Г | | | |
| Frequency | | | |
| (daily, weekly, etc.) Temporal pattern | | | |
| Temporar pattern | | | |
| Duration | | | |
| (secs, mins, hrs, days) | | | |
| | | | |
| D | | | |
| Precipitating Factors | | | |
| ractors | | | |
| | | | |
| Aggravating | | | |
| Factors | | | |
| | | | |
| A 11 | | | |
| Alleviating Factors | | | |
| racions | | | |
| | | | |
| Associated | | | |
| Symptoms | | | |
| | | | |
| | | | |
| Previous Treatments | | | |
| | | | |
| | | | |

EXAMINATION

GENERAL APPEARANCE

| Head and Neck (Development, Symmetry) | Not assessed | WNL | Remarkable findings: |
|---------------------------------------|--------------|-----|----------------------|
| Overall Body | Not assessed | WNL | Remarkable findings: |

CRANIAL NERVE SCREENING

| (II) Gross vision | Not assessed | WNL | Remarkable findings: |
|---|--------------|-----|----------------------|
| (III, IV, VI) Extra-ocular muscles / pupils | Not assessed | WNL | Remarkable findings: |
| (V) Sensory | Not assessed | WNL | Remarkable findings: |
| (V) Motor function / symmetry | Not assessed | WNL | Remarkable findings: |
| (VII) Motor function / symmetry | Not assessed | WNL | Remarkable findings: |
| (VIII) Gross hearing | Not assessed | WNL | Remarkable findings: |
| EAC / Tympanic Membrane | Not assessed | WNL | Remarkable findings: |
| (IX, X) Palatal elevation / gag reflex | Not assessed | WNL | Remarkable findings: |
| (XI) Shoulder shrug / head turns | Not assessed | WNL | Remarkable findings: |
| (XII) Tongue Protrusion | Not assessed | WNL | Remarkable findings: |

BALANCE COORDINATION

| Gait & Gross Motor Movement | Not assessed | WNL | Remarkable findings: |
|-----------------------------|--------------|-----|----------------------|
| Finger to Nose Movement | Not assessed | WNL | Remarkable findings: |

CERVICAL EXAMINATION


| Head/ Ne | ck Position | Not assessed | WNL | Forward head | /body Later | al tilt//turn (R L) |
|-----------|--------------|--------------|-----|--------------|-------------|-----------------------|
| Rotation | Right | Not assessed | WNL | Restricted | Neck Pain | CC pain (R / L / B) |
| Rotation | Left | Not assessed | WNL | Restricted | Neck Pain | CC pain (R / L / B) |
| Tilt | Right | Not assessed | WNL | Restricted | Neck Pain | CC pain (R / L / B) |
| Tilt | Left | Not assessed | WNL | Restricted | Neck Pain | CC pain (R / L / B) |
| Flexion | (forward) | Not assessed | WNL | Restricted | Neck Pain | CC pain (R / L / B) |
| Extension | n (backward) | Not assessed | WNL | Restricted | Neck Pain | CC pain (R / L / B) |


PALPATION EXAM


(X) = painful/tender (T) = palpable knot/trigger point (*) = reproduced familiar pain (→) = pain referral

| | Right | Left |
|------------------------------------|-------|------|
| Trapezius | | |
| SCM | | |
| Splenius capitis | | |
| Occipitalis | | |
| Paracervical | | |
| C Spine | | |
| | | |
| Masseter | | |
| Temporalis | | |
| Frontalis | | |
| TMJ (static) | | |
| TMJ (dynamic) | | |
| Lateral pterygoid (provocation) | | |
| Temporal tendon | | |
| Anterior digastric | | |
| Posterior digastric | | |

Additional palpation exam findings:







MANDIBULAR RANGE OF MOTION

| Pain on maximum opening : Y | X N | R L | | | | |
|------------------------------------|------------|---------------------|-----------|----------|---------|---|
| Maximum comfortable opening: | mm | | | | | |
| Maximum unassisted opening: | N/A | _mm Pain on | R | L | | |
| Maximum assisted opening: | N/A | mm Pain on H | R L Ove | rbite: | | |
| % | Overjet:_ | mm | | | | |
| Protrusive movement: | mm | Painful | : Y | Ν | R | L |
| R lateral movement: | mm | Painful | : Y | Ν | R | L |
| L lateral movement: | mm | Painful | : Y | Ν | R | L |
| TMJ locking: Not observed | Open lock | (R / L / B) | Closed lo | ck (R / | L / B) | |
| Deviation: Corrected Unc | orrected 1 | R L | | | | |

Deviation



TMJ SOUNDS

 Right: None Opening Reciprocal Intermittent Painful Crepitus Eminence Click Painless Left:

 None Opening Reciprocal Intermittent Painful Crepitus Eminence Click Painless Is sound

 Eliminated with protrusion?
 Y

INTRA-ORAL EXAMINATION

| Soft Tissue / Ora | al Cancer Screening: WNL | Remarkable findings: |
|-------------------|--|----------------------|
| Modified Mallar | npati / Tonsil Grade: WNL | Remarkable findings: |
| Dentition / Perio | odontium: Grossly WNL | Remarkable findings: |
| Tooth Wear: | Physiologic Moderate | Severe Notes: |
| Occlusion: | Class I Class II Di Open Bite? Yes No | v 1 2 Class III |
| | - | |

| Caries/Restorations: |
|----------------------|
| Percussion: |
| Palpation: |
| Cold: |
| Tooth Slooth: |
| |
| |

Other notable intra-oral findings: N/A Notes:_____

This work was prepared as part of official military duties. This document reflects the views of the authors and does not reflect the policies of the U.S. Government, Department of Defense, U.S. Navy, or Uniformed Services University of the Health Sciences.